07-19-04

12:49PM

FROM-Merchant & Gould

6123329081

T-741 P.004/012 F-099

Date Mailed: July 19, 2004

Sheet I of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.118USD1	Application Number: 10/823,006	
IN AN APPLICATION	Applicant: COCHRAN ET AL.		
(Use several sheets if necessary)	Filing Date: APRIL 12, 2004	Group Art Unit: 1639	
	Customer No.: 23552		

EXAMINER INITIAL	DOCUMENT NO.	DATE	S. PATENT DOCUMEN NAME	CLASS	SUBCI ASS	FILING IF APPRO	DATE
Tille	4,833,092	05/23/1989	Geysen			II VIII	PRINIB
1,000		06/29/1993	Ladner et al.	+-+	 		
	5,223,409	 		+-+			
	5,534,615	07/09/1996	Baker et al.		├──┤╸ ━─┤		
	5,627,024	05/06/1997	Maruyama et al.				
	5,766,905	06/16/1998	Studier et al.	 			
	5,821,047	10/13/1998	Garrard et al.				
i	5,824,483	10/20/1998	Houston, Jr. ct al.				
	5,830,851	11/03/1998	Wrighton et al.		<u> </u>		
	5,866,341	02/02/1999	Spinella et al.	T			
	5,885,780	03/23/1999	Olivera et al.				
	6,013,458	01/11/2000	Kahn et al.				
	6,180,343	01/30/2001	Anderson et al.				
	6,475,806	11/05/2002	Benjamin et al.				
V	6,482,591	11/19/2002	Lockhart et al.	14	Ų.		
· · · · · · · · · · · · · · · · · · ·		FOR	EIGN PATENT DOCUM	ENTS			
	DOCUMENT NO. DATÉ	COUNTRY	COUNTRY CLASS SUBCL	CLASS SUBCLASS TRANS		ATION	
			:]		YES	NO
Tan	WO 92/00091	01/09/1992	to world		_		
	WO 94/03494	02/17/1994	РСТ				
	WO 95/01800	01/19/1995	PCT				
	WO 95/34683	12/21/1995	PCT				
	WO 97/29185	08/14/1997	PCT				
	WO 98/49168	11/05/1998	PCT				· ·
	WO 99/51625	10/14/1999	PCT				
V	WO 00/20574	04/13/2000	POT				

EXAMINER	7-17.	y	DATE CONSIDERED	1/	114	105
EXAMINER: Initial and not considered	If reference considered, I. Include copy of this fo	whether or not citation for next communication	on is in conformance with MPEP 609; cation to the Applicant.	drawi	ine th	ough citation if not in conformance

^{*}Substitute Disclosure Statement Form (PTO-1449)

6123329081

T-741 P.005/012 F-089

Date Mailed: July 19, 2004

Sheet 2 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: Application Number: 11669.118USD1 10/823,006		
IN AN APPLICATION	Appileant: COCHRAN ET AL.		
(Use several sheets if necessary)	Filing Date: APRIL 12, 2004	Throup Art Unit: 1639	
(02 2003 2000)	Customer No.: 23552		

	WO 00/77194	12/21/2000	PCT			<u> </u>		
			(including Author)					
tow	Bi and B (1992)	Alexander et al., "Thermodynamic Analysis of the Folding of the Streptococcal Protein G IgG-Binding Domains B1 and B2: Why Small Proteins Tend to have High Denaturation Temperatures", Biochemistry, 31:3597-3603						
ŀ	TTBS, 20	:511-516 (1995)	pective partners in					
	Bali et al. 64 (1990)	"Conformation	al Constraints: No	inpeptide B-Tu	m Mimics	," <u>Journal of M</u>	olecular Recogn	ition, 3(2):55
 	Barbas, "	Recent advances	in phage display"	, Current Opin	nion in Bio	rechnology, 4:5	26-530 (1993)	
	Barthe et Protein S	al., Synthesis an cience, 133:942-	d NMR solution s 955 (2000) (abstra	tructure of an act only)	orhelical h	airpin stapled v	vith two disulfid	e bridges",
	Bass et a Proteins:	Bass et al., "Hormone Phage: An Enrichment Method for Variant Proteins with Altered Binding Properties", Proteins: Structure, Function, and Genetics, 8(4):309-314 (1990)						
1.	Becktel a	Becktel and Schellman, "Protein Stability Curves", Biopolymers, 26:1859-1877 (1987)						
,	Biachi et (1995)	Biachi et al., "A Conformationally Homogeneous Combinatorial Peptide Library", <u>J. Mol. Biol.</u> , 247:154-160 (1995)						
1	Bianchi insoluble	Bianchi et al., "High level expression and rational mutagenesis of a designed protein, the minibody. From an insoluble to a soluble molecule," <u>Journal of Molecular Biology</u> , 236(2):649-659 (February 18, 1994).						
	Bianco c Biology,	Blanco et al., "A short linear peptide that folds into a native stable B-hairpin in aqueous solution", Structural Biology, 1(9):584-590 (September 1994)						
,	Blanco, Am. Che	F. ct al., "NMR I m. Soc., 115(13	Evidence of a Shot):5887-5888 (1993	rt Linear Pepti 3).	de That Fo	lds into a β-Hai	irpin in Aqueous	Solution," 1
	Bradbur	y and Cattaneo, '	The use of phage	display in neu	robiology	'. Trends in Net	<u>iroscience,</u> 18:2	43-249 (199:
	Choo an		ing DNA-binding					
	Chothia	"Coiling of B-P	leated Shects", <u>J.</u>	Mol. Biol., 16	3:107-117	(1983)		
,	Chou, P	Chou, P. et al., "Empirical Predictions Of Protein Conformation," Ann. Rev. Biochem., 47:251-276 (1978).						
	coli cell	Christmann et al., "The cystine knot of a squash-type protease inhibitor as a structural scaffold for Escherichia coli cell surface display of conformationally constrained peptides," Protein Engineering, 12(9):797-806 (September 1999).						
,	Clackso (1994)	n and Wells, "In	vitro selection fro	m protein and	peptide lit	oralries", <u>Trend</u>	s Biotechnol., 12	2:173-184
1//	Clackso	n et al., "Making	antibody fragmer	us using phag	e display li	braries", Nature	352:624-628 (1991)

EXAMINER	w	DATE CONSIDERED	1/14	105
EXAMINER: Initial if reference consider and not considered. Include copy of the	ared, whether or not citation is form for next communicati	is in conformance with MPEP 609; di ion to the Applicant.	raw line throug	th citation if not in conformance

^{*}Substitute Disclosure Statement Form (PTO-1449)

Shoot 3 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.118U\$D1	Application Number: 10/823,006	
IN AN APPLICATION	Applicant: COCHRAN ET AL.		
(Use several sheets if necessary)	Filing Date: APRIL 12, 2004	Group Art Unit: 1639	
·	Customer No.: 23552		

+200	Cochran et al., "A Minimal Peptide Scaffold for B-Turn Display: Optimizing a Strand Position in Disulfide-Cyclized B-Hairpins", J. Am. Chem. Soc., 123:625-632 (2001)
1	Cochran, A., "Antagonists of protein-protein interactions", Chemistry and Biology, 7(4):R85-R94 (April 2000)
	Constantine, K. et al., "Structural and Dynamic Properties of a \(\beta\)-Hairpin-Forming Linear Peptide. 1. Modeling Using Ensemble-Averaged Constraints," J. Am. Chem. Soc., 117(44):10841-10854 (1995).
	Cortese et al., "Identification of biologically active peptides using random libraries displayed on phage", <u>Current</u> <u>Opinion in Biotechnology</u> , 6:73-80 (1995)
,	Cortese et al., "Selection of biologically active peptides by phage display of random peptide libraries", <u>Current Opinion in Biotechnology</u> , 7:616-621 (1996)
	Cunningham and Wells, "High-Resolution Epitope Mapping of hGH-Receptor Interactions by Alanine-Scanning Mutagenesis", Science, 244:1081-1085 (1989)
	Cwirla et al., "Peptide agonist of the thrombopoletin receptor as potent as the natural cytokine", Science, 276(5319):1696-1699 (June 13, 1997)
,	Cwirla et al., "Peptides on phage: a vast library of peptides for identifying ligands", <u>Proc. Natl. Acad. Sci. USA</u> , 87(16):6378-6382 (1990)
·	de Alba, E. et al., "Conformational investigation of designed short linear peptides able to fold into β -hairpin structures in aqueous solution," Folding & Design. 1(2):133-144 (February 26, 1996).
	de Alba, E. et al., "Cross-strand side-chain interactions versus turn conformation in β-hairpins," <u>Protein Science</u> , 6:2548-2560 (1997).
	de Alba, E. et al., "Interactions responsible for the pH dependence of the \$\beta\$-hairpin conformational population formed by a designed linear peptide," <u>Fur. J. Biochem.</u> , 233:283-292 (1995).
	de Alba, E. et al., "Turn Residue Sequence Determines β-Hairpin Conformation in Designed Peptides," J. Am. Chem. Soc., 119(1):175-183 (1997).
,	Domingo et al., "Synthesis of a mixture of cyclic peptides based on the Bowmun-Birk reactive site loop to screen for serine inhibitors", International Journal of Protein and Peptide Research, 46:79-87 (1995)
	Dunn, I.S., "Phage display of proteins", Current Opinion in Biotechnology, 7:547-553 (1996)
	Efimov et al., "Bacteriophage T4 as a Surface Display Vector", Virus Genes, 10(2):173-177 (1995)
	Espinosa and Gellman, "A Designed B-Hairpin Containing a Natural Hydrophobic Cluster", Agnew. Chem. Int. Ed., 39(13):2330-2333 (2000)
	Fairbrother et al., "Novel Peptides Selected to Bind Vascular Endothelial Growth Factor Target the Receptor- Binding State", <u>Biochemistry</u> , 37:17754-17764 (1998)
	Falcomer et al., "Chain Reversals in Model Peptides: Studies of Cystine-Containing Cyclic Peptides. 3. Conformational Free Energies of Cyclization of Tetrapeptides of Sequence Ac-Cys-Pro-X-Cys-NHMc", <u>J. Am. Chem. Soc.</u> , 114:4036-4042 (1992)

EXAMINER T.D.	DATE CONSIDERED	11/14/01
EXAMINER: Initial if reference considered, whether or not citation is in con		draw line through clastion if not in conformance

Sheet 4 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.118USDI	Application Number: 10/823,006		
IN AN APPLICATION	Applicant: COCHRAN ET AL	Applicant: COCHRAN ET AL.		
(Use several sheets if necessary)	Filing Date: APRIL 12, 2004	Group Art Unit: 1639		
	Customer No.: 23552			

The	Favre et al., "Structural Mimiery of Canonical Conformations in Antibody Hypervariable Loops Using Cyclic Peptides Containing a Heterochiral Diproline Template", I. Am. Chem. Soc., 121:2679-2685 (1999)
	Felici, "Selection of antibody ligands from a large library of oligopeptides expressed on a multivalent exposition Vector", <u>I. Mol. Biol.</u> , 222:301-310 (1991)
	Fowlkes et al., "Multipurpose Vectors for Peptide Expression on the M13 Viral Surface", <u>BioTechniques</u> , 13(3):422-427 (1992)
	Friedrichs, M. et al., "Structural and Dynamic Properties of a β-Hairpin-Forming Linear Peptide. 2. ¹³ C NMR Relaxation Analysis," J. Am. Chem. Soc., 117(44):10855-10864 (1995).
	Gill and von Hippel, "Calculation of Protein Extinction Coefficients from Amino Acid Sequence Data", Analytical Biochemistry, 182:319-326 (1989)
	Gram et al., "In vitro selection and affinity maturation of antibodies from a naive combinatorial immunoglobulin library", Proc. Natl. Acad. Sci. USA, 89(8):3576-3580 (1992)
	Greenwood et al., "Peptides from Plasmodium Falciparum Circumsporozoite Protein as Antigens", J. Mol. Bio., 220:821-827 (1991)
	Griffiths-Jones, S. et al., "Dissecting the Stability of a β-Huirpin Peptide that Folds in Water: NMR and Molecular Dynamics Analysis of the β-Turn and β-Strand Contributions to Folding," J. Mol. Biol., Vol. 292, pp. 1051-1069 (1999).
	Griffiths-Jones, S. et al., "NMR evidence for the nucleation of a β -hairpin peptide conformation in water by an Asn-Gly type 1' β -turn sequence," Chem. Commun., pp. 789-790 (1998).
	Gururaja et al., "A novel artificial loop scaffold for the noncovalent constraint of peptides", Chem. & Biol., 7:515-527 (2000)
	Haque, T. et al., "Insights on β-Hairpin Stability in Aqueous Solution from Peptides with Enforced Type I' and Type II' β-Turns," <u>J. Am. Chem. Soc.</u> , 119:2303-2304 (1997).
	Havel, "An Evaluation of Computational Strategies for Use in the Determination of Protein Structure from Distance Constraints Obtained by Nuclear Magnetic Resonance", <u>Prog. Biophys. Molec. Biol.</u> , 56:43-78 (1991)
	Hogrefe et al., "Cloning in a bacteriophage lambda vector for the display of binding proteins on filamentous phage", Gene, 137:85-91 (1993)
	Honda et al., "Thermodynamics of a B-Hairpin Structure: Evidence for Cooperative Formation of Folding Nucleus", <u>J. Mol. Biol.</u> , 295:269-278 (2000)
	Hoogenboom et al., "Multi-subunit proteins on the surface of filamentous phage: methodologies for displaying antibody (Fab) heavy and light chains", Nucleic Acids Research, 19(15):4133-4137 (1991)
•	Hutchinson, E. ct al., "Determinants of strand register in antiparallel β-sheets of proteins," <u>Protein Science</u> , 7:2287-2300 (1998).
J	Iannolo et al., "Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein", <u>J. Mol. Biol.</u> , 248:835-844 (1995)

EXAMINER	T.D. ~	DATE CONSIDERED	11/14	105
EXAMINER: Initial if ro and not considered. In	reference considered, whether or not citation is notude copy of this form for next communicatio	in conformance with MPEP 609 in to the Applicant.	draw line th	rough citation If not in conformance

^{*}Substitute Disclosure Statement Form (PTO-1449)

6123329081

T-741 P.008/012 F-099

Date Mailed: July 19, 2004

Sheet 1 of 9

FORM 1449*	INFORMATION DISCLOSURE STATEMENT	Docket Number: Application Number: 11669.118USD1 10/823,006		
	IN AN APPLICATION	Applicant: COCHRAN ET AL	,	
	(Use several sheets if necessary)	Filing Date: APRIL 12, 2004	Group Art Unic 1639	
		Customer No.: 23552		

the	Jiang et al., "Display of a PorA peptide from Neisseria meningitidis on the bacterlophage T4 capsid surface", Chemical Abstract No. 44380q) 128(5):147 (1998)
	Johnson et al., "Analysis of Data from the Analytical Ultracentrifuge by Nonlinear Least-Squares Techniques", Biophys. J., 36:575-588 (December 1981)
	Kang et al., "Linkage of recognition and replication functions by assembling combinatorial antibody Fab librarie along phage surfaces", Proc. Natl. Acad. Sci. USA, 88:4363-4366 (1991)
	Karle et al., "Cyclic Cystine Peptides. Antiparallel B-Sheet Conformation for the 2-Mcmbered Ring in Boc-Cys Val-Aib-Ala-Leu-Cys-NHMe", American Chemical Society, 110:1958-1963 (1988)
	Kessler et al., "Peptide Conformations, 42.12 Conformation of Side Chains in Peptides Using Heteronuclear Coupling Constants Obtained by Two-Dimensional NMR Spectroscopy", <u>J. Am. Chem. Soc.</u> , 109:6927-6933 (1987)
	Kieber-Emmons et al., "Therapeutic peptides and peptidomimetics", Current Opinion in Biotechnology, 8(4):435-441 (Aug. 1997)
	Kim, C. et al., "Thermodynamic β-sheet propensities measured using a zinc-finger host peptide," <u>Nature</u> , 362:267-270 (Merch 18, 1993).
١	Kobayashi, N. et al "Fragment Reconstitution of a Small Protein: Disulfide Mutant of a Short C-Terminal Fragment Derived from Streptococcal Protein G," Biochemistry, 38(11):3228-3234 (1999).
,	Kobayashi, N. et al., "Role of Side-chains in the Cooperative β-Hairpin Folding of the Short C-Terminal Fragment Derived from Streptococcal Protein G," <u>Biochemistry</u> , 39(21): 6564-6571 (2000).
	Kortemme et al., "Design of a 20-Amino Acid, Three-Stranded B-Sheet Protein", Science, 281:253-256 (July 10 1998)
,	Ladner, R., Constrained peptides as binding entities", TIBTECH, 13:426-430 (Oct. 1995)
	Lam et al., "A new type of synthetic peptide library for identifying ligand-binding activity," Nature, 354:82-84 (1991).
,	Lin and Kim, "Urea Dependence of Thiol-Disulfide Equilibria in Thioredoxin: Confirmation of the Linkage Relationship and a Sensitive Assay for Structure", Biochemistry, 28(12):5282-5287 (1989)
	Lindqvist and Naderi, "Peptide presentation by bacteriophage P4", FEMS Microbiology Reviews, 17:33-39 (1995)
	Livnah et al., "Functional mimicry of a protein hormone by a peptide agonist: the EPO receptor complex at 2.8 A", Science, 273(5274):464-471 (July 26, 1996)
	Lowman and Wells, "Monovalent Phage Display: A method for Selecting Variant Proteins from Random Libraries", Methods: Comp. to Methods Enzymol., 3(3):205-216 (1991)
	Lowman et al., "Molecular mimics of insulin-like growth factor 1 (IGF-1) for inhibiting IGF-1: IGF-binding protein interactions", Biochemistry, 37(25):8870-8878 (June 23, 1998)
J	Lowman et al., "Selecting High-Affinity Binding Proteins by Monovalent Phage Display", <u>Biochemistry</u> , 30(45):10832-10838 (1991)
	30(45):10832-10838 (1991)

EXAMINER	T.D.	4,	DATE CONSIDERED	11	14	[0]	
EXAMINER: Initial if and not considered.	reterence considered, include copy of this for	whether or not cita m for next commun	tion is in conformance with MPEP 609; eleation to the Applicant	draw (i	ne the	ough di	tation if not in conformance

^{*}Substitute Disclosure Statement Form (PTO-1449)

Sheet is of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.118USD1	Application Number: 10/823,006		
IN AN APPLICATION	Applicant: COCHRAN ET AL			
(Use several shoets if necessary)	Filing Date: APRIL 12, 2004	Group Art Unit: 1639		
	Customer No.: 23552			

order	Makowski, L., "Structural constraints on the display of foreign peptides on filamentous bacteriophages", <u>Gene</u> , 128:5-11 (1993)
	Malik and Perham, "New vectors for peptide display on the surface of filamentous bacteriophage", Gene, 171:49 51 (1996)
	Markland et al., "Design, construction and function of a multicopy display vector using fusions to the major coat protein of bacteriophage M13", Gene, 109:13-19 (1991)
	Marks et al., "By-passing immunization: human antibodies from V-gene libraries displayed on phage", <u>I. Mol. Biol.</u> , 222:581-597 (1991)
,	Mattos, C. et al., "Analysis of Two-residue Turns in Proteins," J. Mol. Biol., 238:733-747 (1994).
	Maynard, A. et al., "NMR structural analysis of a β-hairpin peptide designed for DNA binding," Chem. Commun pp. 1297-1298 (1997).
ı	Maynard, A. et al., "Origin of β-Hairpin Stability in Solution: Structural and Thermodynamic Analysis of the Folding of a Model Peptide Supports Hydrophobic Stabilization in Water," <u>I. Am. Chem. Soc.</u> , 120(9):1996-200 (1998).
	Martin et al., "The affinity-selection of a minibody polypeptide inhibitor of human interleukin-6," <u>EMBQ</u> <u>Journal</u> , 13(22):5303-5309 (November 15, 1994).
	McBride et al., "Selection of Chymotrypsin Inhibitors from a Conformationally-constrained Combinatorial Peptide Library," Journal of Molecular Biology, Vol. 259, No. 4, pp. 819-827 (June 21, 1996).
	McCafferty et al., "Phage antibodies: filamentous phage displaying antibody variable domains", Nature, 348:552 554 (1990)
	McGregor, "Selection of proteins and peptides from libraries displayed on filamentous bacteriophage", Molecula Biotechnology, 6:155-162 (1995)
	McLasterty et al., "M13 bacteriophage displaying disulfide-constrained microproteins", Gene, 128:29-36 (1993)
	Mcrrifield, R.B., "Solid Phase Peptide Synthesis. I. The Synthesis of a Tetrapeptide", <u>I. Am. Chem. Soc.</u> , 85:2149-2154 (1963)
,	Milburn et al., "Chain reversals in model peptides: studies of cystine-containing cyclic peptides. II. Effects of valyl residues and possible i-to-(i + 3) attractive ionic interactions on cyclization of [Cys ¹], [Cys ²] hexapeptides" International Journal of Peptide & Protein Research, 31(3):311-321 (March 1988)
	Milmer-White, B., "Predicting the biologically active conformations of short polypeptides," <u>Trends in Pharmacological Sciences</u> , 10(2):70-74 (February 1989).
,	Minor and Kirn, "Measurement of the B-sheet-forming propensities of amino acids", Nature, 367:660-663 (February 17, 1994)
J	Minor, Jr., D. et al., "Context is a major determinant of β-sheet propensity," Nature, 371:264-267 (September 15, 1994).

EXAMINER T. 0.	DATE CONSIDERED	11/10	1/0)	
EXAMINER: Initial if reference considered, whether or not citation		draw line thn	ough citation	If not in conformance

^{*}Substitute Disclosure Statement Form (PTO-1449)

Sheet 7 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.118USD1	Application Number: 10/823,006		
IN AN APPLICATION	Applicant: COCHRAN ET AL.			
(Use several sheets if necessary)	Filing Date: APRIL 12, 2004	Group Art Unit: 1639		
	Customer No.: 23552			

you	Muñoz, V. et al., "Intrinsic Secondary Structure Propensities of the Amino Acids, Using Statistical φ-ψ Matrices: Comparison With Experimental Scales," <u>Proteins: Structure, Function, and Genetics</u> , 20:301-311 (1994).
	Munoz et al., "Folding dynamics and mechanism of B-hairpin formation", Nature, 390:196-199 (November 13, 1997)
	Myszka et al., "Design and characterization of an intramolecular antiparallel coiled coil peptide," Biochemistry, 33(9):2363-2372 (March 8, 1994).
	Nygren et al., "Scaffolds for engineering novel binding sites in proteins," <u>Current Opinion in Structural Biology</u> , 7(4):463-469 (August 1997).
	O'Boyle et al., "Identification of a novel peptide substrate of HSV-1 protease using substrate phage display", Virology, 236:338-347 (1997)
	O'Neil and Hoess, "Phase display: protein engineering by directed evolution", Churtent Opinion in Structural Biology, 5:443-449 (1995)
	Privalov and Gill, "Stability of Protein Structure and Hydrophobic Interaction", <u>Advances in Protein Chemistry</u> , 39:191-234 (1988)
	Ramirez-Alvarado et al., "B-Hairpin and B-Sheet Formation in Designed Linear Peptides", Biogranic & Medicinal Chemistry, 7:93-103 (1999)
	Ramirez-Alvarado et al., "Conformational analysis of peptides corresponding to all the secondary structure elements of protein L B1 domain: Secondary structure propensities are not conserved in proteins with the same fold", Protein Science, 6:162-174 (1997)
	Ramirez-Alvarado et al., "De novo design and structural analysis of a model B-hairpin peptide system", Nature Structural Biology, 3(7):604-612 (July 1996)
	Ramirez-Alvarado et al., "Role of B-Turn Residues in B-Hairpin Formation and Stability in Designed Peptides", J. Mol. Biol., 273:898-912 (1997)
	Ren et al., "Cloining of linear DNAs in vivo by overexpressed T4 DNA ligase: construction of a T4 phage hoc gene display vector", Chemical Abstracts. (Abstract No. 215644q) 127(16):155 (1997)
	Ren et al., "Phage display of intact domains at high copy number: A system based on SOC, the small outer capsid protein of bacteriophage T4", Protein Science, 5:1833-1843 (1996)
	Ren et al., "Phage 1'4 SOC and HOC display of biologically active, full-length proteins on the viral capsid", Geng, 215:439-444 (1998)
	Ried, C. et al., "High Affinity Endotoxin-binding and Neutralizing Peptides Based on the Crystal Structure of Recombinant Limulus Anti-lipopolysaccharide Factor," <u>Journal of Biological Chemistry</u> , 271(45):28120-28127 (November 8, 1996).
	Rietman et al., "The solution structure of the synthetic circular peptide CGVSRQGKPYC NMR studies of the folding of a synthetic model for the DNA-binding loop of the ssDNA-binding protein encoded by gene V of phage M13", Eur. J. of Blochem., 238:706-713 (1996)

EXAMINER	T-D.	74	DATE CONSIDERED	į (114	40	1
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 608; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.							

^{*}Substitute Disclosure Statement Form (PTO-1449)

Sheet N of 9

FORM 1449" INFORMATION DISCLOSURE STATEMENT	Docket Number: Application Number: 11669.118USD1 10/823,006			
IN AN APPLICATION	Applicant: COCHRAN ET AL			
(Use several shoets if necessary)	Filing Date: APRIL 12, 2004 Group Art Unit: 1639			
•	Customer No.: 23552			

JAN 1	Robrer, S. ct al., "Rapid Identification of Subtype-Selective Aganists of the Somatostatin Receptor Through Combinatorial Chemistry," Science, 282:737-740 (October 23, 1998).
	Russell and Cochran, "Designing Stable B-Haltpins: Energetic Contributions from Cross-Strand Residues", <u>J.</u> <u>Am. Chem. Soc.</u> , 122:12660-12601 (2000)
	Scott and Smith, "Searching for peptide ligands with an epitope library", Science, 249:386-390 (1990)
	Searle, M. et al., "A short linear peptide derived from the N-terminal sequence of ubiquitin folds into a water-stable non-native β-hairpin," Nature Structural Biology, 2(11):999-1006 (November 1995).
	Sibanda et al., "Conformation of B-Hairpins in Protein Structures", J. Mol. Biol., 206:759-777 (1989)
	Skelton et al., "Determination of the Solution Structure of the Peptide Hormone Guanylin: Observation of a Novel Form of Topological Stereoisomerism", <u>Blochemistry</u> , 33:13581-13592 (1994)
	Smith and Pease, "Reverse turns in peptides and proteins," <u>CRC Critical Reviews in Biochemistry</u> , 8(4):315-399 (1980).
	Smith and Scott, "Libraries of Peptides and Proteins Displayed on Filamentous Phage", Methods in Enzymology, 217:228-257 (1993)
	Smith et al., "Small binding proteins selected from a combinatorial repettoire of knottins displayed on phage," Journal of Molecular Biology, 277(2):317-332 (March 27, 1998).
	Smith, "Surface display and poptide libraries", Gene, 128:1-2 (1993)
	Smith, C. et al., "A Thermodynamic Scale for the B-Sheet Forming Tendencies of the Amino Acids," <u>Biochemistry</u> , 33(18):5510-5517 (1994).
	Smith, C. et al., "Guidelines for Protein Design: The Energetics of \$\beta\$ Sheet Side Chain Interactions," Science, 270:980-982 (November 10, 1995).
	Smith, G.P., "Surface presentation of protein epitopes using bacterlophage expression systems", Curr. Opin. Biotechnol., 2(5):668-673 (1991)
	Soumillion et al., "Phage display of enzymes and in vitro selection for catalytic activity", Applied Biochemistry and Biotechnology, 47:175-190 (1994)
	Stanger and Gellman, "Rules for Antiparallel B-Sheet Design: D-Pro-Gly is Superior to L-Asn-Gly for B-Hairpin Nucleation", J. Am. Chem. Soc., 120:4236-4237 (1998)
	Stroup and Gierasch, "Reduced Tendency to Form a β Turn in Peptides from the P22 Tailspike Protein Correlates with a Temperature-Sensitive Folding Defect", <u>Biochemistry</u> , 29:9765-9771 (1990)
	Syud et al., "NMR-Based Quantification of B-Sheet Populations in Aqueous Solution through Use of Reference Peptides for the Folded and Unfold States", J. Am. Chem. Soc., 121:11577-11578 (1999)
	Syud, F. et al., "Interstrand Side Chain-Side Chain Interactions in a Designed β-Hairpin: Significance of Both Lateral and Diagonal Pairings," J. Am. Chem. Soc., 123(36):8667-8677 (2001).
V	Themarasu and Nagaraj, "Synthetic Peptides Corresponding to the B-Hairpin Loop of Rabbit Defensin NP-2 Show Antimicrobial Activity", Biochem. & Biophys. Res. Comm., 254:281-283 (1999)

EXAMINER	T.0.	4,	DATE CONSIDERED	į (114/01	
	reference considered, wheth		conformance with MPEP 609; do the Applicant.	raw line th	rough citation i	f not in conformance

07-19-04

12:52PM

FROM-Merchant & Gould

6123329081

T-741 P.012/012 F-099

Date Mailed: July 19, 2004

Sheet 9 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.118USD1	Application Number: 10/823,006		
IN AN APPLICATION	Applicant: COCHRAN ET AL.			
(Use several sheets if necessary)	Filing Date: APRIL 12, 2004	(iroup Art Unit: 1639		
	Customer No.: 23552			

Vita et al., "Novel miniproteins engineered by the transfer of active sites to small natural scaffolds," <u>Biopolymers</u> , 47(1):93-100 (1998).
Vita et al., "Rational engineering of a miniprotein that reproduces the core of the CD4 site interacting with HIV-1 envelope glycoprotein," Proc. Natl. Acad. Sci. USA, 96(23):13091-13096 (November 9, 1999).
Walse et al., "Structure of a cyclic peptide with a catalytic triad, determined by computer simulation and NMR spectroscopy", J. Comput. Aided Mol. Des., 10:11-22 (1996)
Wells et al., "Cassette Mutagenesis: an Efficient Method for Generation of Multiple Mutations at Defined Sites", Gene, 34(2-3):315-323 (1985)
Wiesmann et al., "Crystal Structure of the Complex between VEGF and a Receptor-Blocking Peptide", Biochemistry, 37:17765-17772 (1998)
Wouters, M. et al., "An Analysis of Side Chain Interactions and Pair Correlations Within Antiparallel β-Sheets: The Differences Between Backbone Hydrogen-Bonded and Non-Hydrogen-Bonded Residue Pairs," <u>Proteins: Structure, Function, and Genetics</u> , 22:119-131 (1995).
Wrighton et al., "Small peptides as potent mimetics of the protein hormone crythropoietin", <u>Science</u> 273:458-463 (July 26, 1996)
Zerella et al., "Autonomous folding of a peptide corresponding to the N-terminal B-hairpin from ubiquitin", Protein Science, 8:1320-1331 (1999)
Zerella et al., "Structural characterization of a mutant peptide derived from ubiquitin: Implications for protein folding", Protein Science, 9:2142-2150 (2000)
Zhang et al., "Synthetic CD4 exocyclic peptides amagonize CD4 holoreceptor binding and T cell activation", Nature Biotechnology, 14:472-475 (April 1996)
Zhang et al., "Synthetic CD4 exocyclics inhibit binding of human immunodeficiency virus type 1 envelope to CD4 and virus replication in T lymphocytes", Nature Biotechnology, 15(2):151-154 (Fcb. 1997)
Zhong, "Conformational Mimicry of a Chlamydial Neutralization Epitope on Filamentous Phage", <u>Journal of Biological Chemistry</u> , 269(39):24183-24188 (1994)
Zoller and Smith, "Oligonucleotide-directed Mutagenesis Using M13-derived Vectors: An Efficient and General Procedure for the Production of Point Mutations in Any Fragment of DNA", Nucl. Acids Res., 10(20):6487-6500 (1982)

EXAMINER	J.D. M	DATE CONSIDERED	17	1/4	(0)	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.						